

0.9DIN RADIO for VB to VL COMMODORES

Install Instructions v1.6 (15.5.2026)

HOLDCOM
AUTO PARTS
www.holdcom.com.au

Installation Procedure

1. Use the included cage to install.
2. Bend the top and bottom in:



3. Fit cage into dash:



4. Bend top, bottom and sides back out:



5. Bend locking tabs in on the top and bottom edges, to secure the cage into place:



6. Wire in, then slide radio into cage until it clicks into place. Wiring tips are in the next section.



7. IF you have trouble fitting the Radio into the cage, grind flat OR remove these screws. (one per side)



Wiring Procedure

This loom MUST be connected for Wifi and Bluetooth to work:





NOTE: Wires 6 and 7 are not used at all, wire 5 is only used if installing reverse camera.

DO NOT USE FACTORY SPEAKER WIRING, YOU MUST RUN NEW CABLES TO EACH SPEAKER!

AMP Wire

The Amp trigger wire needs to be turned on in the settings:


1. Go to Settings. On the Left-hand menu, select 'General'.
2. On the right-hand menu, select 'Amplifier Control'.
3. Change setting to 'Open'.

Microphone

The radio has a built-in mic on the front, but also comes with an external one if you prefer to use that instead.

Reverse Camera

The radio supports reverse camera input. Connect the camera RCA output cable to the loom below, using the yellow RCA connection.



The camera is triggered by the “BACK” wire on the main radio loom. Connect reverse 12v to this wire. Please note, the wire colour may be different to whats shown here ----->

GPS Antenna Installation

Antenna should be stuck down on a flat level surface, not under any metal bodywork where possible. Adhesive side facing down.

Usage Tips

APPLE CARPLAY / ANDROID AUTO:

Use the “Tlink5” App

AUTO START APP ON START-UP:

1. From main screen, tap ‘Apps’ then ‘Settings’.

2. On left menu, select 'General', then on right scroll down and select 'Application self start'.
3. Select the desired app, such as 'Music', 'Radio' or 'Tlink5'.

CHANGE MAIN RADIO THEME:

Use the "Theme" App, then tap the middle button in the top right corner.

SCREEN PROTECTOR:

The units come pre-fitted with at least one screen protector. Some may have two. These can safely be removed, if desired.

WARRANTY

NOTE: Warranty starts from the date product is received; not from the date it is fitted or used. Warranties are also NOT transferrable.

New Products

12 Months Warranty, unless stated otherwise in the product description.

Electrical and Engine / Driveline Parts

The warranties stated above are only valid if installation of our product is carried out by a registered business and fitted by a qualified, licensed technician. We reserve the right to decline warranty and returns for products that have been incorrectly installed, modified or damaged due to poor quality fitting and/or wiring. **NOTE: We do NOT consider mechanics qualified to install electrical products.**